ELSEVIER

Chemical Physics 257 (2000) 311–314

Chemical Physics

www.elsevier.nl/locate/chemphys

Author index

Abdurahman, A., A. Shukla and M. Dolg, Correlated ground-state ab initio calculations of polymethineimine 257 (2000) 301
Adamowicz, L., see Al-Jihad, I. 257 (2000) 167
Al-Jihad, I., J. Smets and L. Adamowicz, Isomerism of the covalent anion of the dimer of uracil and 1-methyl-cytosine: ab initio study 257 (2000) 167
Andrews, L., see Kushto, G.P. 257 (2000) 223

Bartolotti, L.J., see Chesnut, D.B. 257 (2000) 175
Basiev, T.T., see Fedorov, V.V. 257 (2000) 275
Baumgärtel, H., see Locht, R. 257 (2000) 283
Beck, W., see Fedorov, V.V. 257 (2000) 275
Benderskii, V.A. and E.V. Vetoshkin, Tunneling splittings in vibrational spectra of non-rigid molecules 257 (2000) 203
Bich, E., see Bock, S. 257 (2000) 147
Biskupič, S., see Lukeš, V. 257 (2000) 157
Bittererová, M., see Lukeš, V. 257 (2000) 157
Bleyer, A., see Lane, P.A. 257 (2000) 41
Bock, S., E. Bich and E. Vogel, A new intermolecular potential energy surface for carbon dioxide from ab initio calculations 257 (2000) 147
Bradley, D.D.C., see Lane, P.A. 257 (2000) 41

Capitelli, M., see Esposito, F. 257 (2000) 193
Cascales, C., G. Lozano, C. Zaldo and P. Porcher, Optical spectroscopy and crystal-field effects on the paramagnetic susceptibility of rare-earth germanates $GaRGe_2O_7$, R = Pr, Nd 257 (2000) 29
Cavell, R.G., see Jürgensen, A. 257 (2000) 123
Chatzis, G. and J. Samios, The isotopic and temperature dependent properties of hydrogen chloride dissolved in carbon tetrachloride. A molecular dynamics approach 257 (2000) 51
Chesnut, D.B. and L.J. Bartolotti, The pair density description of aromaticity in some substituted cyclopentadienyl systems: a comparison of AIM and ELF bonding descriptors 257 (2000) 175
Chien, L.C., see Ostroverkhov, V. 257 (2000) 263
Choi, Y.J., see Park, S.J. 257 (2000) 135
Citra, A., see Kushto, G.P. 257 (2000) 223

PII: S0301-0104(00)00185-3

Dehareng, D., see Locht, R. 257 (2000) 283
Ding, F., see Kushto, G.P. 257 (2000) 223
Dolg, M., see Abdurahman, A. 257 (2000) 301
Duan, Y.-B., see Mukhopadhyay, I. 257 (2000) 91

Esposito, F., M. Capitelli and C. Gorse, Quasi-classical dynamics and vibrational kinetics of $N^+N_2(v)$ system 257 (2000) 193
Eustatiu, I.G., J.T. Francis, T. Tyliszczak, C.C. Turci, A.L.D. Kilcoyne and A.P. Hitchcock, Generalized oscillator strengths for inner-shell excitation of SF_6 recorded with a high-performance electron energy loss spectrometer 257 (2000) 235

Fedorov, V.V., W. Beck, T.T. Basiev, A.Ya. Karasik and C. Flytzanis, Fine level splitting of aggregate neodymium centers in CaF_2 crystals 257 (2000) 275
Ferrari, L., A proper mobility formula for large, heavy particles in gases in any regime 257 (2000) 63
Fischer, G. and P. Wormell, Vibronic analyses of the lowest singlet–singlet and singlet–triplet band systems of pyridazine 257 (2000) 1
Flytzanis, C., see Fedorov, V.V. 257 (2000) 275
Francis, J.T., see Eustatiu, I.G. 257 (2000) 235

Glebov, E.M., V.F. Plyusnin, N.V. Tkachenko and H. Lemmetyinen, Laser flash photolysis of $IrCl_6^{2-}$ in aqueous solutions 257 (2000) 79
Gorse, C., see Esposito, F. 257 (2000) 193

Hagler, T.W., see Lane, P.A. 257 (2000) 41
Han, J.-G., W.-M. Pang and Y.-Y. Shi, Theoretical study on the sandwich clusters of $Na_n(COT)_m$ by density functional method 257 (2000) 21
Hitchcock, A.P., see Eustatiu, I.G. 257 (2000) 235
Hoxha, A., see Locht, R. 257 (2000) 283
Hu, X.K., see Mao, D.M. 257 (2000) 253
257 (2000) 123

Jeung, G.-H., see Park, S.J. 257 (2000) 135
Jochims, H.W., see Locht, R. 257 (2000) 283
Jürgensen, A. and R.G. Cavell, A comparison of the oxygen 1s photoabsorption spectra of SO_2 and NO_2

Karasik, A.Ya., see Fedorov, V.V. 257 (2000) 275
Kilcoyne, A.L.D., see Eustatiu, I.G. 257 (2000) 235
Kim, H.-S., Solvent effect on Sr^{2+} to Ca^{2+} ion mutation: Monte Carlo simulation study 257 (2000) 183
Kushto, G.P., F. Ding, B. Liang, X. Wang, A. Citra and L. Andrews, Infrared spectra of BeNO and MgNO in solid argon 257 (2000) 223
Kuznetsov, D.S., V.B. Morozov, A.N. Olenin and V.G. Tunkin, High resolution study of 1388 cm^{-1} CO_2 vibration by time-domain CARS: spectral exchange and Dicke effect 257 (2000) 117

Lane, P.A., H. Mellor, S.J. Martin, T.W. Hagler, A. Bleyer and D.D.C. Bradley, Electroabsorption spectroscopy of distyrylbenzene derivatives 257 (2000) 41
Laurinc, V., see Lukeš, V. 257 (2000) 157
Lee, Y.S., see Park, S.J. 257 (2000) 135

Legay, F. and N. Legay-Sommaire, High resolution near infrared spectrum of solid nitrogen, pure and doped with carbon dioxide 257 (2000) 103
Legay-Sommaire, N., see Legay, F. 257 (2000) 103
Lemmetyinen, H., see Glebov, E.M. 257 (2000) 79
Leyh, B., see Locht, R. 257 (2000) 283
Liang, B., see Kushto, G.P. 257 (2000) 223
Lipson, R.H., see Mao, D.M. 257 (2000) 253
Locht, R., B. Leyh, A. Hoxha, D. Dehareng, H.W. Jochims and H. Baumgärtel, About the vacuum UV photoabsorption spectrum of methyl fluoride (CH_3F): the fine structure and its vibrational analysis 257 (2000) 283
Lozano, G., see Cascales, C. 257 (2000) 29
Lukeš, V., M. Bittererová, V. Laurinc and S. Biskupič, Ab initio study of the $F_2(X^1\Sigma_g^+)$–$H(^2S)$ van der Waals complex 257 (2000) 157

Mao, D.M., X.K. Hu, Y.J. Shi and R.H. Lipson, Dispersive photoelectron spectroscopy of the ungerade Rydberg states of Xe_2 near Xe*(6p,5d) 257 (2000) 253
Martin, S.J., see Lane, P.A. 257 (2000) 41
Mellor, H., see Lane, P.A. 257 (2000) 41
Morozov, V.B., see Kuznetsov, D.S. 257 (2000) 117
Mukhopadhyay, I. and Y.-B. Duan, Analysis of torsion-rotational transitions in the first three torsional states of CH_3OD 257 (2000) 91

Olenin, A.N., see Kuznetsov, D.S. 257 (2000) 117
Ostroverkhov, V., O. Ostroverkhova, R.G. Petschek, K.D. Singer, L. Sukhomlinova, R.J. Twieg, S.-X. Wang and L.C. Chien, Optimization of the molecular hyperpolarizability for second harmonic generation in chiral media 257 (2000) 263
Ostroverkhova, O., see Ostroverkhov, V. 257 (2000) 263

Pang, W.-M., see Han, J.-G. 257 (2000) 21
Park, S.J., Y.J. Choi, Y.S. Lee and G.-H. Jeung, Ab initio calculations of the electronic states of KRb 257 (2000) 135
Petschek, R.G., see Ostroverkhov, V. 257 (2000) 263
Plyusnin, V.F., see Glebov, E.M. 257 (2000) 79
Porcher, P., see Cascales, C. 257 (2000) 29

Samios, J., see Chatzis, G. 257 (2000) 51
Shi, Y.J., see Mao, D.M. 257 (2000) 253
Shi, Y.-Y., see Han, J.-G. 257 (2000) 21
Shukla, A., see Abdurahman, A. 257 (2000) 301
Singer, K.D., see Ostroverkhov, V. 257 (2000) 263
Smets, J., see Al-Jihad, I. 257 (2000) 167
Sukhomlinova, L., see Ostroverkhov, V. 257 (2000) 263

Tkachenko, N.V., see Glebov, E.M. 257 (2000) 79
Tunkin, V.G., see Kuznetsov, D.S. 257 (2000) 117
Turci, C.C., see Eustatiu, I.G. 257 (2000) 235
Twieg, R.J., see Ostroverkhov, V. 257 (2000) 263
Tyliszczak, T., see Eustatiu, I.G. 257 (2000) 235

Vetoshkin, E.V., see Benderskii, V.A. 257 (2000) 203
Vogel, E., see Bock, S. 257 (2000) 147

Wang, S.-X., see Ostroverkhov, V. 257 (2000) 263
Wang, X., see Kushto, G.P. 257 (2000) 223
Wormell, P., see Fischer, G. 257 (2000) 1

Zaldo, C., see Cascales, C. 257 (2000) 29

ELSEVIER

Chemical Physics 257 (2000) 315–322

Chemical Physics

www.elsevier.nl/locate/chemphys

Subject index

Methods and constructs

Theoretical

Computational methods for electronic structure

Vibronic analyses of the lowest singlet–singlet and singlet–triplet band systems of pyridazine, G. Fischer and P. Wormell 257 (2000) 1

A comparison of the oxygen 1s photoabsorption spectra of SO_2 and NO_2, A. Jürgensen and R.G. Cavell 257 (2000) 123

The pair density description of aromaticity in some substituted cyclopentadienyl systems: a comparison of AIM and ELF bonding descriptors, D.B. Chesnut and L.J. Bartolotti 257 (2000) 175

-CI and valence bond approach

Ab initio calculations of the electronic states of KRb, S.J. Park, Y.J. Choi, Y.S. Lee and G.-H. Jeung 257 (2000) 135

-perturbative and many body approaches

A new intermolecular potential energy surface for carbon dioxide from ab initio calculations, S. Bock, E. Bich and E. Vogel 257 (2000) 147

Ab initio study of the $F_2(X^1\Sigma_g^+)$–$H(^2S)$ van der Waals complex, V. Lukeš, M. Bittererová, V. Laurinc and S. Biskupič 257 (2000) 157

Isomerism of the covalent anion of the dimer of uracil and 1-methyl-cytosine: ab initio study, I. Al-Jihad, J. Smets and L. Adamowicz 257 (2000) 167

Correlated ground-state ab initio calculations of polymethineimine, A. Abdurahman, A. Shukla and M. Dolg 257 (2000) 301

-density functional theory

Theoretical study on the sandwich clusters of $Na_n(COT)_m$ by density functional method, J.-G. Han, W.-M. Pang and Y.-Y. Shi 257 (2000) 21

The pair density description of aromaticity in some substituted cyclopentadienyl systems: a comparison of AIM and ELF bonding descriptors, D.B. Chesnut and L.J. Bartolotti 257 (2000) 175

PII: S0301-0104(00)00186-5

Semiempirical methods
Optical spectroscopy and crystal-field effects on the paramagnetic susceptibility of rare-earth germanates $GaRGe_2O_7$, R = Pr, Nd, C. Cascales, G. Lozano, C. Zaldo and P. Porcher 257 (2000) 29

Relativistic electronic structure theory
Ab initio calculations of the electronic states of KRb, S.J. Park, Y.J. Choi, Y.S. Lee and G.-H. Jeung 257 (2000) 135

Wavefunctions for highly excited and unbound states
Ab initio calculations of the electronic states of KRb, S.J. Park, Y.J. Choi, Y.S. Lee and G.-H. Jeung 257 (2000) 135

Molecular response to external fields (incl. optical susceptibilities, dichroism, hyperpolarizabilities)
Electroabsorption spectroscopy of distyrylbenzene derivatives, P.A. Lane, H. Mellor, S.J. Martin, T.W. Hagler, A. Bleyer and D.D.C. Bradley 257 (2000) 41

Collisional and reactive molecular dynamics with non-frictional forces
Quasi-classical dynamics and vibrational kinetics of $N+N_2(v)$ system, F. Esposito, M. Capitelli and C. Gorse 257 (2000) 193

Intramolecular dynamics
Tunneling splittings in vibrational spectra of non-rigid molecules, V.A. Benderskii and E.V. Vetoshkin 257 (2000) 203

Molecular dynamics of many particle systems and condensed phases
The isotopic and temperature dependent properties of hydrogen chloride dissolved in carbon tetrachloride. A molecular dynamics approach, G. Chatzis and J. Samios 257 (2000) 51

Statistical computational methods (incl. Monte Carlo)
The isotopic and temperature dependent properties of hydrogen chloride dissolved in carbon tetrachloride. A molecular dynamics approach, G. Chatzis and J. Samios 257 (2000) 51

Non-equilibrium statistical mechanics
A proper mobility formula for large, heavy particles in gases in any regime, L. Ferrari 257 (2000) 63

Equilibrium statistical mechanics and thermodynamics
A new intermolecular potential energy surface for carbon dioxide from ab initio calculations, S. Bock, E. Bich and E. Vogel 257 (2000) 147
Solvent effect on Sr^{2+} to Ca^{2+} ion mutation: Monte Carlo simulation study, H.-S. Kim 257 (2000) 183

Time and space correlation functions
The isotopic and temperature dependent properties of hydrogen chloride dissolved in carbon tetrachloride. A molecular dynamics approach, G. Chatzis and J. Samios 257 (2000) 51

Experiment

Molecular spectroscopy
Laser flash photolysis of $IrCl_6^{2-}$ in aqueous solutions, E.M. Glebov, V.F. Plyusnin, N.V. Tkachenko and H. Lemmetyinen 257 (2000) 79

-infrared
Analysis of torsion-rotational transitions in the first three torsional states of CH_3OD, I. Mukhopadhyay and Y.-B. Duan 257 (2000) 91
High resolution near infrared spectrum of solid nitrogen, pure and doped with carbon dioxide, F. Legay and N. Legay-Sommaire 257 (2000) 103
Infrared spectra of BeNO and MgNO in solid argon, G.P. Kushto, F. Ding, B. Liang, X. Wang, A. Citra and L. Andrews 257 (2000) 223

-Raman
High resolution study of 1388 cm^{-1} CO_2 vibration by time-domain CARS: spectral exchange and Dicke effect, D.S. Kuznetsov, V.B. Morozov, A.N. Olenin and V.G. Tunkin 257 (2000) 117

-UV
Vibronic analyses of the lowest singlet–singlet and singlet–triplet band systems of pyridazine, G. Fischer and P. Wormell 257 (2000) 1

X-ray spectroscopy
A comparison of the oxygen 1s photoabsorption spectra of SO_2 and NO_2, A. Jürgensen and R.G. Cavell 257 (2000) 123

Electron impact spectroscopy
Generalized oscillator strengths for inner-shell excitation of SF_6 recorded with a high-performance electron energy loss spectrometer, I.G. Eustatiu, J.T. Francis, T. Tyliszczak, C.C. Turci, A.L.D. Kilcoyne and A.P. Hitchcock 257 (2000) 235

Nonlinear optics and spectroscopy
Optical spectroscopy and crystal-field effects on the paramagnetic susceptibility of rare-earth germanates $GaRGe_2O_7$, R = Pr, Nd, C. Cascales, G. Lozano, C. Zaldo and P. Porcher 257 (2000) 29
Electroabsorption spectroscopy of distyrylbenzene derivatives, P.A. Lane, H. Mellor, S.J. Martin, T.W. Hagler, A. Bleyer and D.D.C. Bradley 257 (2000) 41
High resolution study of 1388 cm^{-1} CO_2 vibration by time-domain CARS: spectral exchange and Dicke effect, D.S. Kuznetsov, V.B. Morozov, A.N. Olenin and V.G. Tunkin 257 (2000) 117
Dispersive photoelectron spectroscopy of the ungerade Rydberg states of Xe_2 near Xe*(6p,5d), D.M. Mao, X.K. Hu, Y.J. Shi and R.H. Lipson 257 (2000) 253
Optimization of the molecular hyperpolarizability for second harmonic generation in chiral media, V. Ostroverkhov, O. Ostroverkhova, R.G. Petschek, K.D. Singer, L. Sukhomlinova, R.J. Twieg, S.-X. Wang and L.C. Chien 257 (2000) 263
Fine level splitting of aggregate neodymium centers in CaF_2 crystals, V.V. Fedorov, W. Beck, T.T. Basiev, A.Ya. Karasik and C. Flytzanis 257 (2000) 275

Synchrotron spectroscopies
About the vacuum UV photoabsorption spectrum of methyl fluoride (CH_3F): the fine structure and its vibrational analysis, R. Locht, B. Leyh, A. Hoxha, D. Dehareng, H.W. Jochims and H. Baumgärtel 257 (2000) 283

Objects

Bulk systems

Gases
Vibronic analyses of the lowest singlet–singlet and singlet–triplet band systems of pyridazine, G. Fischer and P. Wormell 257 (2000) 1
A proper mobility formula for large, heavy particles in gases in any regime, L. Ferrari 257 (2000) 63
High resolution study of 1388 cm^{-1} CO_2 vibration by time-domain CARS: spectral exchange and Dicke effect, D.S. Kuznetsov, V.B. Morozov, A.N. Olenin and V.G. Tunkin 257 (2000) 117
A comparison of the oxygen 1s photoabsorption spectra of SO_2 and NO_2, A. Jürgensen and R.G. Cavell 257 (2000) 123
A new intermolecular potential energy surface for carbon dioxide from ab initio calculations, S. Bock, E. Bich and E. Vogel 257 (2000) 147
Quasi-classical dynamics and vibrational kinetics of $N+N_2(v)$ system, F. Esposito, M. Capitelli and C. Gorse 257 (2000) 193
Generalized oscillator strengths for inner-shell excitation of SF_6 recorded with a high-performance electron energy loss spectrometer, I.G. Eustatiu, J.T. Francis, T. Tyliszczak, C.C. Turci, A.L.D. Kilcoyne and A.P. Hitchcock 257 (2000) 235
About the vacuum UV photoabsorption spectrum of methyl fluoride (CH_3F): the fine structure and its vibrational analysis, R. Locht, B. Leyh, A. Hoxha, D. Dehareng, H.W. Jochims and H. Baumgärtel 257 (2000) 283

Liquid mixtures and solutions
The isotopic and temperature dependent properties of hydrogen chloride dissolved in carbon tetrachloride. A molecular dynamics approach, G. Chatzis and J. Samios 257 (2000) 51
Laser flash photolysis of $IrCl_6^{2-}$ in aqueous solutions, E.M. Glebov, V.F. Plyusnin, N.V. Tkachenko and H. Lemmetyinen 257 (2000) 79

Crystals
Optical spectroscopy and crystal-field effects on the paramagnetic susceptibility of rare-earth germanates $GaRGe_2O_7$, R = Pr, Nd, C. Cascales, G. Lozano, C. Zaldo and P. Porcher 257 (2000) 29

-mixed
Fine level splitting of aggregate neodymium centers in CaF_2 crystals, V.V. Fedorov, W. Beck, T.T. Basiev, A.Ya. Karasik and C. Flytzanis 257 (2000) 275

Plasmas
Quasi-classical dynamics and vibrational kinetics of $N+N_2(v)$ system, F. Esposito, M. Capitelli and C. Gorse 257 (2000) 193

Microscopic and mesoscopic systems

Single atoms, molecules and assemblies (incl. biological)
A proper mobility formula for large, heavy particles in gases in any regime, L. Ferrari 257 (2000) 63
Ab initio study of the $F_2(X^1\Sigma_g^+)$–$H(^2S)$ van der Waals complex, V. Lukeš, M. Bittererová, V. Laurinc and S. Biskupič 257 (2000) 157
The pair density description of aromaticity in some substituted cyclopentadienyl systems: a comparison of AIM and ELF bonding descriptors, D.B. Chesnut and L.J. Bartolotti 257 (2000) 175

Molecules (neutral and ionic)
Analysis of torsion-rotational transitions in the first three torsional states of CH_3OD, I. Mukhopadhyay and Y.-B. Duan 257 (2000) 91
High resolution near infrared spectrum of solid nitrogen, pure and doped with carbon dioxide, F. Legay and N. Legay-Sommaire 257 (2000) 103
The pair density description of aromaticity in some substituted cyclopentadienyl systems: a comparison of AIM and ELF bonding descriptors, D.B. Chesnut and L.J. Bartolotti 257 (2000) 175

-diatomic
Ab initio calculations of the electronic states of KRb, S.J. Park, Y.J. Choi, Y.S. Lee and G.-H. Jeung 257 (2000) 135
Dispersive photoelectron spectroscopy of the ungerade Rydberg states of Xe_2 near Xe*(6p,5d), D.M. Mao, X.K. Hu, Y.J. Shi and R.H. Lipson 257 (2000) 253

-small polyatomics
A comparison of the oxygen 1s photoabsorption spectra of SO_2 and NO_2, A. Jürgensen and R.G. Cavell 257 (2000) 123
A new intermolecular potential energy surface for carbon dioxide from ab initio calculations, S. Bock, E. Bich and E. Vogel 257 (2000) 147
Generalized oscillator strengths for inner-shell excitation of SF_6 recorded with a high-performance electron energy loss spectrometer, I.G. Eustatiu, J.T. Francis, T. Tyliszczak, C.C. Turci, A.L.D. Kilcoyne and A.P. Hitchcock 257 (2000) 235
About the vacuum UV photoabsorption spectrum of methyl fluoride (CH_3F): the fine structure and its vibrational analysis, R. Locht, B. Leyh, A. Hoxha, D. Dehareng, H.W. Jochims and H. Baumgärtel 257 (2000) 283

-aromatics
Electroabsorption spectroscopy of distyrylbenzene derivatives, P.A. Lane, H. Mellor, S.J. Martin, T.W. Hagler, A. Bleyer and D.D.C. Bradley 257 (2000) 41
The pair density description of aromaticity in some substituted cyclopentadienyl systems: a comparison of AIM and ELF bonding descriptors, D.B. Chesnut and L.J. Bartolotti 257 (2000) 175
Optimization of the molecular hyperpolarizability for second harmonic generation in chiral media, V. Ostroverkhov, O. Ostroverkhova, R.G. Petschek, K.D. Singer, L. Sukhomlinova, R.J. Twieg, S.-X. Wang and L.C. Chien 257 (2000) 263

-other large
Tunneling splittings in vibrational spectra of non-rigid molecules, V.A. Benderskii and E.V. Vetoshkin 257 (2000) 203

-polymeric and biological
Correlated ground-state ab initio calculations of polymethineimine, A. Abdurahman, A. Shukla and M. Dolg 257 (2000) 301

Molecular aggregates
Infrared spectra of BeNO and MgNO in solid argon, G.P. Kushto, F. Ding, B. Liang, X. Wang, A. Citra and L. Andrews 257 (2000) 223

-dimers
Dispersive photoelectron spectroscopy of the ungerade Rydberg states of Xe_2 near Xe*(6p,5d), D.M. Mao, X.K. Hu, Y.J. Shi and R.H. Lipson 257 (2000) 253

-van der Waals molecules
Ab initio study of the $F_2(X^1\Sigma_g^+)$–$H(^2S)$ van der Waals complex, V. Lukeš, M. Bittererová, V. Laurinc and S. Biskupič 257 (2000) 157

-clusters
Theoretical study on the sandwich clusters of $Na_n(COT)_m$ by density functional method, J.-G. Han, W.-M. Pang and Y.-Y. Shi 257 (2000) 21
Fine level splitting of aggregate neodymium centers in CaF_2 crystals, V.V. Fedorov, W. Beck, T.T. Basiev, A.Ya. Karasik and C. Flytzanis 257 (2000) 275

-complexes
Laser flash photolysis of $IrCl_6^{2-}$ in aqueous solutions, E.M. Glebov, V.F. Plyusnin, N.V. Tkachenko and H. Lemmetyinen 257 (2000) 79

Ions and charge carriers
A proper mobility formula for large, heavy particles in gases in any regime, L. Ferrari 257 (2000) 63
Solvent effect on Sr^{2+} to Ca^{2+} ion mutation: Monte Carlo simulation study, H.-S. Kim 257 (2000) 183

Phenomena

Molecular structure
Isomerism of the covalent anion of the dimer of uracil and 1-methyl-cytosine: ab initio study, I. Al-Jihad, J. Smets and L. Adamowicz 257 (2000) 167
Correlated ground-state ab initio calculations of polymethineimine, A. Abdurahman, A. Shukla and M. Dolg 257 (2000) 301

Vibrations and rotations of molecules
Analysis of torsion-rotational transitions in the first three torsional states of CH_3OD, I. Mukhopadhyay and Y.-B. Duan 257 (2000) 91

Quasi-classical dynamics and vibrational kinetics of $N+N_2(v)$ system, F. Esposito, M. Capitelli and C. Gorse 257 (2000) 193

Electronic structure and states

Vibronic analyses of the lowest singlet–singlet and singlet–triplet band systems of pyridazine, G. Fischer and P. Wormell 257 (2000) 1

Theoretical study on the sandwich clusters of $Na_n(COT)_m$ by density functional method, J.-G. Han, W.-M. Pang and Y.-Y. Shi 257 (2000) 21

Electroabsorption spectroscopy of distyrylbenzene derivatives, P.A. Lane, H. Mellor, S.J. Martin, T.W. Hagler, A. Bleyer and D.D.C. Bradley 257 (2000) 41

A comparison of the oxygen 1s photoabsorption spectra of SO_2 and NO_2, A. Jürgensen and R.G. Cavell 257 (2000) 123

Ab initio calculations of the electronic states of KRb, S.J. Park, Y.J. Choi, Y.S. Lee and G.-H. Jeung 257 (2000) 135

Generalized oscillator strengths for inner-shell excitation of SF_6 recorded with a high-performance electron energy loss spectrometer, I.G. Eustatiu, J.T. Francis, T. Tyliszczak, C.C. Turci, A.L.D. Kilcoyne and A.P. Hitchcock 257 (2000) 235

Dispersive photoelectron spectroscopy of the ungerade Rydberg states of Xe_2 near Xe*(6p,5d), D.M. Mao, X.K. Hu, Y.J. Shi and R.H. Lipson 257 (2000) 253

Optimization of the molecular hyperpolarizability for second harmonic generation in chiral media, V. Ostroverkhov, O. Ostroverkhova, R.G. Petschek, K.D. Singer, L. Sukhomlinova, R.J. Twieg, S.-X. Wang and L.C. Chien 257 (2000) 263

Electric and magnetic properties

Optical spectroscopy and crystal-field effects on the paramagnetic susceptibility of rare-earth germanates $GaRGe_2O_7$, R = Pr, Nd, C. Cascales, G. Lozano, C. Zaldo and P. Porcher 257 (2000) 29

Molecular interactions

High resolution study of 1388 cm^{-1} CO_2 vibration by time-domain CARS: spectral exchange and Dicke effect, D.S. Kuznetsov, V.B. Morozov, A.N. Olenin and V.G. Tunkin 257 (2000) 117

A new intermolecular potential energy surface for carbon dioxide from ab initio calculations, S. Bock, E. Bich and E. Vogel 257 (2000) 147

Ab initio study of the $F_2(X^1\Sigma_g^+)$–$H(^2S)$ van der Waals complex, V. Lukeš, M. Bittererová, V. Laurinc and S. Biskupič 257 (2000) 157

Coupling of electronic and nuclear motion

Vibronic analyses of the lowest singlet–singlet and singlet–triplet band systems of pyridazine, G. Fischer and P. Wormell 257 (2000) 1

About the vacuum UV photoabsorption spectrum of methyl fluoride (CH_3F): the fine structure and its vibrational analysis, R. Locht, B. Leyh, A. Hoxha, D. Dehareng, H.W. Jochims and H. Baumgärtel 257 (2000) 283

Energy transfer processes

Quasi-classical dynamics and vibrational kinetics of $N+N_2(v)$ system, F. Esposito, M. Capitelli and C. Gorse 257 (2000) 193

Photochemistry
Laser flash photolysis of $IrCl_6^{2-}$ in aqueous solutions, E.M. Glebov, V.F. Plyusnin, N.V. Tkachenko and H. Lemmetyinen 257 (2000) 79

Luminescence spectra, yields and lifetimes
Optical spectroscopy and crystal-field effects on the paramagnetic susceptibility of rare-earth germanates $GaRGe_2O_7$, R = Pr, Nd, C. Cascales, G. Lozano, C. Zaldo and P. Porcher 257 (2000) 29

Nonlinear responses (incl. optical)
Optimization of the molecular hyperpolarizability for second harmonic generation in chiral media, V. Ostroverkhov, O. Ostroverkhova, R.G. Petschek, K.D. Singer, L. Sukhomlinova, R.J. Twieg, S.-X. Wang and L.C. Chien 257 (2000) 263

Reactions

-condensed phase
High resolution near infrared spectrum of solid nitrogen, pure and doped with carbon dioxide, F. Legay and N. Legay-Sommaire 257 (2000) 103
Solvent effect on Sr^{2+} to Ca^{2+} ion mutation: Monte Carlo simulation study, H.-S. Kim 257 (2000) 183

Tunneling
Tunneling splittings in vibrational spectra of non-rigid molecules, V.A. Benderskii and E.V. Vetoshkin 257 (2000) 203

Electron transfer
Isomerism of the covalent anion of the dimer of uracil and 1-methyl-cytosine: ab initio study, I. Al-Jihad, J. Smets and L. Adamowicz 257 (2000) 167

Ionization (incl. Rydberg states)
Dispersive photoelectron spectroscopy of the ungerade Rydberg states of Xe_2 near $Xe^*(6p,5d)$, D.M. Mao, X.K. Hu, Y.J. Shi and R.H. Lipson 257 (2000) 253
About the vacuum UV photoabsorption spectrum of methyl fluoride (CH_3F): the fine structure and its vibrational analysis, R. Locht, B. Leyh, A. Hoxha, D. Dehareng, H.W. Jochims and H. Baumgärtel 257 (2000) 283

Surface chemical physics

-desorption
Fine level splitting of aggregate neodymium centers in CaF_2 crystals, V.V. Fedorov, W. Beck, T.T. Basiev, A.Ya. Karasik and C. Flytzanis 257 (2000) 275

Thermodynamic and transport properties
The isotopic and temperature dependent properties of hydrogen chloride dissolved in carbon tetrachloride. A molecular dynamics approach, G. Chatzis and J. Samios 257 (2000) 51
A proper mobility formula for large, heavy particles in gases in any regime, L. Ferrari 257 (2000) 63